Contents to volume 228

Research Letters

Crosslinking of ribosomal protein S18 to 16 S RNA in *E.coli* ribosomal 30 S subunits by the use of a reversible crosslinking agent: *trans*-diamminedichloroplatinum-(II) (FEB 05533) *H. Moine, C. Bienaimé, M. Mougel, J. Reinbolt, J.P. Ebel, C. Ehresmann, B. Ehresmann* 1

An initiator protein for plasmid R6K DNA replication: Mutations affecting the copy-number control (FEB 05516) *M. Inuzuka, Y. Wada* 7

High homology between a trophoblastic protein (trophoblastin) isolated from ovine embryo and α-interferons (FEB 05529) *G. Charpigny, P. Reinaud, J.-C. Huet, M. Guillomot, M. Charlier, J.-C. Pernollet, J. Martal* 12

The primary structure of human platelet profilin: reinvestigation of the calf spleen profilin sequence (FEB 05519) *C. Ampe, F. Markey, U. Lindberg, J. Vandekerckhove* 17

Cloning, sequencing and expression of a full-length rabbit fast skeletal troponin-C cDNA (FEB 05527) *Q. Chen, J. Taljanidisz, S. Sarkar, T. Tao, J. Gergely* 22

Catalytic subunit of cAMP-dependent protein kinase is essential for cAMP-mediated mammalian gene expression (FEB 05531) *W. Büchler, U. Walter, B. Jastorff, S.M. Lohmann* 27

Enzymatic sequence-specific spin labeling of a DNA fragment containing the recognition sequence of *Eco*RI endonuclease (FEB 05535) *A.M. Bobst, G.T. Pauly, R.S. Keyes, E.V. Bobst* 33

Adenylate cyclase activity of *v-ras-k* transformed rat epithelial thyroid cells (FEB 05500) *G. Colletta, D. Corda, G. Schettini, A.M. Cirafici, L.D. Kohn, E. Consiglio* 37

Transforming growth factor β regulates the levels of different fibronectin isoforms in normal human cultured fibroblasts (FEB 05523) *E. Balza, L. Borsi, G. Allemanni, L. Zardi* 42

Selective decrease in low-M_r HMG proteins HMG I and HMG Y during differentiation of mouse teratocarcinoma cells (FEB 05537) *E. Vartiainen, J. Palvimo, A. Mahonen, A. Linnala-Kankkunen, P.H. Mäenpää* 45

Detection and microsequencing of juvenile hormone-binding proteins of an insect by the use of an iodinated juvenile hormone analog (FEB 05536) *P. Kulcsár, G.D. Prestwich* 49

A novel dinitrophenylglutathione-stimulated ATPase is present in human erythrocyte membranes (FEB 05524) *E.F. LaBelle, S.V. Singh, H. Ahmad, L. Wronski, S.K. Srivastava, Y.C. Awasthi* 53

Heparin inhibits the inositol 1,4,5-trisphosphate-induced Ca^{2+} release from rat liver microsomes (FEB 05525) *P.J. Cullen, J.G. Comerford, A.P. Dawson* 57

Biological action of phosphonate analogs of fructose 2,6-bisphosphate on enzymes from higher plants (FEB 05521) *M. Stitt, A. Vasella* 60

The effect of phosphate on the unfolding-refolding of phosphoglycerate kinase induced by guanidine hydrochloride (FEB 05528) *T. Chardot, A. Mitraki, Y. Amigues, M. Desmadril, J.M. Betton, J.M. Yon* 65

On the energetics of conformational changes and pH dependent redox behaviour of electron transfer proteins (FEB 05522) *N.K. Rogers, G.R. Moore* 69

Calcium ions induce glutamate transport into rat brain membrane vesicles in the absence of sodium and chloride: Evidence for a novel uptake site? (FEB 05530) *M. Hollmann, J. Harnecker, W. Seifert* 74

Partial separation of inwardly pumping and outwardly pumping bacteriorhodopsin reconstituted liposomes by gel filtration (FEB 05532) *M. Seigneuret, J.-L. Rigaud* 79

The relationship between activity and the axial $g = 2.06$ EPR signal induced by CO in the periplasmic (Fe) hydrogenase from *Desulfovibrio vulgaris* (FEB 05526) *D.S. Patil, S.H. He, D.V. DerVartanian, J. Le Gall, B.H. Huynh, H.D. Peck, jr* 85

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

5-Aminolevulinic acid formation from glutamate via the C_5 pathway in *Clostridium thermoaceticum* (FEB 05544) *T. Oh-hama, N.J. Stolowich, A.I. Scott* 89
The transmembrane distribution of galactolipids in spinach thylakoid inside-out vesicles is opposite to that found in intact thylakoids (FEB 05538) *P.-A. Siegenthaler, J. Sutter, A. Rawyler* 94
Biological activities of chemically synthesized *N*-acetylneuraminic acid-(α2→6)-monosaccharide analogs of lipid A (FEB 05542) *T. Shimizu, T. Masuzawa, Y. Yanagihara, C. Shimizu, K. Ikeda, K. Achiwa* 99
Biosynthesis of intestinal microvillar proteins: Effect of castanospermine on cell-free synthesis of aminopeptidase N (FEB 05547) *E.M. Danielsen, J. Olsen* 102
Evidence for direct binding of vinculin to actin filaments (FEB 05520) *K. Ruhnau, A. Wegner* 105
Changes in myosin heavy chain stoichiometry in pig tracheal smooth muscle during development (FEB 05539) *M.A. Mohammad, M.P. Sparrow* 109
Presence and characteristics of epidermal growth factor receptors in human fetal small intestine and colon (FEB 05541) *P. Pothier, D. Ménard* 113
Nicotinic acetylcholine receptor: a structural model for α-subunit peptide 188–201, the putative binding site for cholinergic agents (FEB 05540) *C. Gotti, F. Frigerio, M. Bolognesi, R. Longhi, G. Racchetti, F. Clementi* 118
Iodinated melatonin mimics melatonin action and reveals discrete binding sites in fetal brain (FEB 05534) *D.R. Weaver, M.A.A. Namboodiri, S.M. Reppert* 123
Active center differences between cathepsins L and B: the S_1 binding region (FEB 05567) *H. Kirschke, P. Wikstrom, E. Shaw* 128
Monoclonal antibody to human endothelial cell surface internalization and liposome delivery in cell culture (FEB 05553) *O.V. Trubetskaya, V.S. Trubetskoy, S.P. Domogatsky, A.V. Rudin, N.V. Popov, S.M. Danilov, M.N. Nikolayeva, A.L. Klibanov, V.P. Torchilin* 131
Fibronectin isoforms in plasma membrane domains of normal and regenerating rat liver (FEB 05545) *C. Enrich, W.H. Evans, C.G. Gahmberg* 135
A physiological delay in human fetal hemoglobin switching is associated with specific globin DNA hypomethylation (FEB 05548) *S.P. Perrine, M.F. Greene, R.A. Cohen, D.V. Faller* 139
The influence of a double-stranded hindrance on DNA synthesis performed by DNA polymerase α, T_4 DNA polymerase, DNA polymerase I (Klenow fragment) and AMV reverse transcriptase (FEB 05551) *A.V. Scamrov, R.S. Beabealashvilli* 144
The primary organization of nucleosomal core particles from actively dividing cells of lily (FEB 05554) *S.G. Bavykin, I.M. Undritsov, S.I. Usachenko, A.A. Strokov, Yu.F. Bogdanov, A.D. Mirzabekov* 149
Isolation of human pancreastatin fragment containing the active sequence from a glucagonoma (FEB 05557) *K. Sekiya, M.A. Ghatei, N. Minamino, D. Bretherton-Watt, H. Matsuo, S.R. Bloom* 153
N-terminal amino acid sequence analysis of the subunits of pea photosystem I (FEB 05546) *P.P.J. Dunn, L.C. Packman, D. Pappin, J.C. Gray* 157
Spectroscopic characterisation of the reaction centre of photosystem II from higher plants (FEB 05550) *W.R. Newell, H. van Amerongen, R. van Grondelle, J.W. Aalberts, A.F. Drake, P. Udvarhelyi, J. Barber* 162
Evidence for lipoxin formation by bovine polymorphonuclear leukocytes via triple dioxygenation of arachidonic acid (FEB 05479) *P. Walstra, J. Verhagen, M.A. Vermeer, J.P.M. Klerks, G.A. Veldink, J.F.G. Vliegenthart* 167
Limited proteolysis of actin by a specific bacterial protease (FEB 05552) *S.Yu. Khaitlina, T.D. Smirnova, A.M. Usmanova* 172
A new pathway for phosphatidylserine synthesis in rat liver microsomes (FEB 05555) *J. Barańska* 175
Phospholipid peroxidation as a factor in gallstone pathogenesis (FEB 05560) *D. Lichtenberg, S. Ragimova, Y. Peled, Z. Halpern* 179
Inhibition of the amplified bombesin-stimulated inositol phosphate response in N-*ras* transformed cells by high density culturing (FEB 05556) *M.J.O. Wakelam* 182
Primary structure of rat brain sodium channel III deduced from the cDNA sequence (FEB 05558) *T. Kayano, M. Noda, V. Flockerzi, H. Takahashi, S. Numa* 187

Functional expression of cloned cDNA encoding sodium channel III (FEB 05559) *H. Suzuki, S. Beckh, H. Kubo, N. Yahagi, H. Ishida, T. Kayano, M. Noda, S. Numa* 195

Book Reviews and Booklist no. 80 201
Notes to Authors 213

Research Letters

Cell attachment and fibrinogen binding properties of platelet and endothelial cell thrombospondin are not affected by structural differences in the 70 and 18 kDa protease-resistant domains (FEB 05571) *P. Clezardin, M.-C. Bourdillon, N.R. Hunter, J.L. McGregor* 215

Activation of an S6 kinase from rat astroglial cells by cAMP (FEB 05568) *M. Pierre, J.-M. Gavaret, C. Matricon, M. Pomerance, C. Jacquemin, D. Toru-Delbauffe* 219

Sizing of single-stranded regions in double-stranded DNA by preparative benzoylated DEAE-cellulose chromatography (FEB 05563) *M.D. Norris, B.W. Stewart* 223

Construction of a series of several self-cleaving RNA duplexes using synthetic 21-mers (FEB 05570) *M. Koizumi, S. Iwai, E. Ohtsuka* 228

Opposite effects of adenosine on two types of cAMP-induced gene expression in *Dictyostelium* indicate the involvement of at least two different intracellular pathways for the transduction of cAMP signals (FEB 05572) *W. Spek, K. van Drunen, R. van Eijk, P. Schaap* 231

Alkyl-linked diquinolines are monofunctional AT-selective DNA-intercalating agents (FEB 05574) *W.D. McFadyen, W.A. Denny, L.P.G. Wakelin* 235

tRNA specificity of a mischarging aminoacyl-tRNA synthetase: glutamyl-tRNA synthetase from barley chloroplasts (FEB 05564) *A. Schön, D. Söll* 241

Bioenergetics of dihydrostreptomycin transport by *Escherichia coli* (FEB 05562) *S.R. Goss, A.B. Spicer, W.W. Nichols* 245

Methane formation from acetyl phosphate in cell extracts of *Methanosarcina barkeri*. Dependence of the reaction on coenzyme A (FEB 05566) *R. Fischer, R.K. Thauer* 249

Structural differences between oxidized and reduced thioredoxin monitored by two-dimensional ^{1}H NMR spectroscopy (FEB 05573) *H.J. Dyson, A. Holmgren, P.E. Wright* 254

The Kok effect and the light-inhibition of chlororespiration in *Chlamydomonas reinhardtii* (FEB 05565) *G. Peltier, F. Sarrey* 259

Electron microscopy study of Q_β replicase (FEB 05569) *N.H. Berestowskaya, V.D. Vasiliev, A.A. Volkov, A.B. Chetverin* 263

Isolation of the intact photosystem I reaction center core containing P700 and iron-sulfur center F_X (FEB 05575) *J.H. Golbeck, K.G. Parrett, T. Mehari, K.L. Jones, J.J. Brand* 268

Complementary addressed modification of double-stranded DNA within a ternary complex (FEB 05581) *O.S. Fedorova, D.G. Knorre, L.M. Podust, V.F. Zarytova* 273

High levels of protein carboxyl methyltransferase in well-differentiated human endometrial carcinoma (FEB 05584) *G. Ben-Baruch, R. Solomon, J. Menczer, Y. Kloog* 277

Interaction of Sendai virions with resealed human erythrocyte ghosts: Lateral mobility of the viral glycoproteins in the cell membrane following fusion (FEB 05585) *Y.I. Henis, O. Gutman* 281

Radioligand binding of antagonists of platelet-activating factor to intact human platelets (FEB 05582) *D. Ukena, G. Dent, F.W. Birke, C. Robaut, G.W. Sybrecht, P.J. Barnes* 285

Functional multiplicity of atrial natriuretic peptide receptors on cultured rat Leydig tumor cells (FEB 05583) *G.P. Vlasuk, K.E. Arcuri, T.M. Ciccarone, R.F. Nutt* 290

Recognition of inter-transmembrane regions of acetylcholine receptor α subunit by antibodies, T cells and neurotoxins: Implications for membrane-subunit organization (FEB 05475) *M.Z. Atassi, T. Manshouri, T. Yokoi* 295

Cloning and sequencing of cDNA that encodes goat growth hormone (FEB 05577) *Y. Yamano, K. Oyabayashi, M. Okuno, M. Yato, N. Kioka, E. Manabe, H. Hashi, H. Sakai, T. Komano, K. Utsumi, A. Iritani* 301

Genotyping of human class I alcohol dehydrogenase: Analysis of enzymatically amplified DNA with allele-specific oligonucleotides (FEB 05543) *K. Gennari, B. Wermuth, D. Muellener, T. Ehrig, J.-P. von Wartburg* 305
A resonance Raman study of the binding of ethanol and methanol to ferrihemoglobin (FEB 05576) *B.B. Muhoberac, J.A. Shelnutt, M.R. Ondrias* 310
Asparaginyl-rhamnose: a novel type of protein-carbohydrate linkage in a eubacterial surface-layer glycoprotein (FEB 05586) *P. Messner, U.B. Sleytr* 317
Identification of a tetrasialylated monofucosylated tetraantennary *N*-linked carbohydrate chain in human platelet glycocalicin (FEB 05587) *S.A.M. Korrel, K.J. Clemetson, H. van Halbeek, J.P. Kamerling, J.J. Sixma, J.F.G. Vliegenthart* 321
cAMP-dependent activation of protein synthesis correlates with dephosphorylation of elongation factor 2 (FEB 05588) *A.S. Sitikov, P.N. Simonenko, E.A. Shestakova, A.G. Ryazanov, L.P. Ovchinnikov* 327
Enzymatic alteration of C1q, the collagen-like subcomponent of the first component of complement, leads to cross-reactivity with type II collagen (FEB 05589) *H.-P. Heinz, D. Brackertz, M. Loos* 332
Antimicrobial properties of peptides from *Xenopus* granular gland secretions (FEB 05561) *E. Soravia, G. Martini, M. Zasloff* 337
Amino acid sequences of the human kidney cathepsins H and L (FEB 05580) *A. Ritonja, T. Popović, M. Kotnik, W. Machleidt, V. Turk* 341
Epidermal growth factor-induced phosphoinositide hydrolysis: Modulation by protein kinase C (FEB 05578) *L.M. Vicentini, R. Cervini, R. Zippel, P. Mantegazza* 346
A new type of functional VIP receptor has an affinity for helodermin in human SUP-T1 lymphoblasts (FEB 05579) *P. Robberecht, M. Waelbroeck, P. De Neef, M. Tastenoy, P. Gourlet, J. Cogniaux, J. Christophe* 351

Corrigendum and Erratum 357

Author Index 359

Table of Contents 365

Notes to Authors 367

FEBS News

A FEBS Advanced Course 1988 371

Announcement 372